





## Contents

- 3 How to use this guide
- 4 The IP Office
- 6 One-X IP Value Edition Desk Phones
- 8 Analogue Phones
- 9 IP Office Release Features
- 10 IP Office Applications System
- 11 IP Office Applications Users
- 12 IP Office Applications Features
- 12 One-X Portal
- 13 Call Centre Applications
- 14 Jabra Corded Headsets
- 15 Jabra Cordless Headsets
- 16 Plantronics Headsets
- 17 Plantronics Headsets Continued
- 18 Conferencing Units
- 19 Call Management

## **Digitel Services**

With over 3000 systems installed we recognise that service is our most important commodity. That's why we can provide on site emergency service within 4 hours of the fault being received by our Customer Service centre.

The high standard of customer service we provide is just one reason why we are a recognised leader and quality provider of communications systems and services.

This is why we have global partners like Avaya, and that's why we believe you won't find a better combination of technical excellence and customer support.

Digitel engineers are factory trained and carry a complete stock of parts to ensure fast, responsive service. Digitel's Total Customer Care program also provides for disaster recovery in the event of total loss of service through fire, flood, etc. We can have you back in business with a replacement system on-site within 24 hours.

## Contact Us

Digitel Europe Ltd Communications Centre, 1 Ivy Street, Priory Lane Industrial Estate, Birkenhead, Merseyside, CH41 5EE

Ray Cullen 0844 387 7823 E-mail: rcullen@digiteleurope.co.uk

# AVAYA Why Choose Avaya?

Avaya delivers intelligent communications solutions that help companies transform their businesses to achieve marketplace advantage.

More than one million businesses worldwide, including more than 90% of the Fortune 500R, use Avaya solutions for IP Telephony, Unified Communications, Contact Centres and Communications – Enabled Business Processes.

Avaya Global Services provides comprehensive service and support for companies, large and small.

For more information visit the Avaya website, www.avaya.co.uk

Avaya has specific focus on the small and medium business sector and utilising its flagship SMB portfolio to deliver true business benefit for all types of organisations. Avaya focus on 3 key areas: Reliability

A communication system needs to be available all day, every day! Avaya build their product to be inherently resilient.

### Scalability

A communication system needs to grow with your business. Avaya ensures flexibility and scalability to give true investment protection from 384 users.

### Applications

It's not just about making and taking calls, applications provide real business benefit. Avaya have a suite of applications that an assist an organisation in saving money and providing excellent service.



**Business Communications** 

# Why Choose Digitel?

Formed in 1992, Digitel is a total ICT solutions integrator whose success is due to our ability to bring technologies, processes and people together to to enable organisations to simply work and communicate better.

We provide solutions that work in unison with our fixed line, mobile and data network services to help optimise your technology and communications investments. This provides you with the means to:

- Enhance your productivity
- Drive competitive advantage and profitability
- Improve customer service
- Reduce environmental impact

Digitel has been partnered with Avaya for over 18 years. As a total ICT solutions integrator we can help your organisation with it's communications and collaboration strategy. Our philosophy is that business value is only created when technology enhances the capability of the client's organisation, empowering the people and processes to achieve its business objectives. Using industry leading processes, we have become a market leader in:

- IP Telephony
- VoIP Community Networking
- Unified Communications
- Call Recording Systems
- Fixed Line Services
- Numbering Services
- Contact Centres
- Data Networking/Services
- Call Management Software
- Mobile GSM Services

## How to use this guide

To select the hardware components for your system, establish the capacity requirements and then choose from the available control units, trunk cards, daughter cards and expansion modules.

Ζ

4

How many trunks are required and what type of trunk - choose from Analogue, Basic Rate ISDN2, Primary Rate ISDN30 or SIP Trunk.

How many end points are required and what type - choose from Analogue, Digital, IP or ISDN extensions

Is multi-site connectivity or data access required?

Are there any business applications needs such as auto attendant, contact centre management, database interaction etc?

## System Capabilities

<b>Optional Applications</b>	CCR, One-X Portal, VMPRO, Contact Store
Extensions	384
Trunk Ports	240
Analogue Lines	208
BRI (ISDB2) Trunk	32
PRI (ISDN30) Trunk	240
DECT Cell Stations	32
DECT Handsets	120
Dimensions (WxHxD)	445 x 73 x 365mm
Weight	3.2kg
Handset Supported	16XX Series, 54XX Series, 56XX Series, Analogue, SIP, H323, 96XX Series, 14XX Series
Expansion Modules	12



IP500 Control Unit

## The IP Office

The Avaya Office family of components share a common set of features and applications which deliver a cost effective solution to any business.

## The Avaya IP Office

Hugely flexible and cost-effective 'office in a box' offering has everything from a simple, traditional telephone system to a multi site VoIP contact centre solution. All IP Office systems include:


- DHCP sever
- Internet access router
- LAN 10/100Mbs switch
- WAN Point-to Point Protocol or Frame Relay for RAS or IP routed networks
- Firewall
- Remote Access Server
- Fully featured PBX with optional key functionality
- Massive range of telephony features including divert, caller ID, screen popping, hunt groups and queue notification, voice mail, auto attendant and much more
- Choice of Endpoint analogue (POTS), digital ISDN, IP hard and softphones, wireless DECT
- Conferencing bridge
- Advanced call routing message store and replay applications
- Unified messaging voice, email and fax

- VPN support for L2TP or IPSec
- SNMP monitoring and SMPT email alarms
- SIP trunking enabling call via a SIP Service Provider

## Community Networking with VoIP

VoIP with IP Networking allows all users on all sites to be visible as one integrated large community.

Homeworkers and teleworkers are incorporated into the central office system just as any other user, so call distribution and reporting are achieved without typical limitations. Voicemail, call routing and therefore call billing and management can be centralised. Advanced features such as remote hot desking and distribution hunt groups are also available.





### IP500 V2 Control Unit

Entry level to the IP Office family offering IP applications.

- Modular chassis serves up to 32users
- Smart Card Feature Key
- Supports 12 expansion modules for a maximum of 384 users
- Supports analogue, digital and IP extensions
- 2 switched LAN ports
- 2 IP 500 Voice Compression Modules for up to 128 VoIP channels
- 2 x 64 party conferencing
- 2 SD Card Slots



## IP500 Base & Daughter Cards Base Cards

### New Combo Base Cards

IP Office Release 6 also provides support for another new base card, the Combination card. This card will provide a mix of digital phone (6 ports), analog phone (2 ports) and trunk connections and also provide 10 voice compression channels in a single base card. VCM Cards Support up to 32 or 64 VoIP channels

Legacy Card Carrier

Supports IP 400 trunk cards, VCM 4, 8, 16, 24 and 30 cards. 1 card per LCC, 2 LCC per control unit

### **Extension Cards**

Support 2 or 8 analogue devices or 8 digital devices

### Daughter Cards

Analogue 4 Card Connects up to 4 trunks

**BRI 4 Card** Connects up to 2 ISDN lines (4 channels) Connects up to 4 ISDN lines (8 channels) **IP500 Universal PRI Daughter Card** Provides single or dual PRI digital trunk

interfaces and 8 channels (expandable)

without need for a Legacy Card carrier

BRI 8 Card



### **IP500 Expansion Modules**

Increase IP Office capacity with a Phone Module providing POTS ports for analogue devices and Digital Station Module providing DS ports for 5400 series phones.

### IPO So8 Module

The IP400 Office So8 module provides 8 S-Bus (ISDN2e) extensions for Basic Rate ISDN devices (video conferencing, group 3 faxes, etc)

### IPO ATM16

Each module supports up to 16 Loop Start or Ground Start trunks (not available in all territories) The first two ports on the module are automatically switched to 2 dedicated extensions on the rear of the unit in the event of power failure



### Description

IPO So8 Module IPO ATM16 IP500 Phone 30 Module IP500 Phone 16 Module IP500 Digital Station 16 Module IP500 Digital Station 30 Module Expansion Card IP500 4 Port Expansion Card

### 5

#### Description

IP500 System V2 Unit SD Card (Essential Edition and Smart Card)

Accessories

IP500 Rack Mount Kit Blanking Plate

### Description

 Base Cards

 IP500 Phone 2

 IP500 Phone 8

 IP500 DS 8

 IP500 VCM 32

 IP500 VCM 64

 IP500 Legacy Card Carrier

 IP500 V2 Combo Card ATM

 IP500 V2 Combo Card BRI

### Daughter Cards

IP500 ATM4 IP500 BRI4 IP500 BRI8 IP500 PRI Trunk Card – Single IP500 PRI Trunk Card – Dual License E1 Add. 2 Channels License E1 Add. 22 Channels

## One-X Value Edition Desk Phones Low cost, robust and surprisingly feature packed for the price

## 1603 / 1403 Value Edition

Ideal for walk-up and simple everyday use

- 3 administrable feature buttons with dual LED
   2 way speakerphone indicators
- 2 line, 16 character backlit display
  Fixed feature keys
- (eg conference, transfer, hold)

### Description

1603 IP Value Edition 1403 Value Edition

### 1608 / 1408 Value Edition

Ideal for light everyday use. Features as 1603/1403 plus

- 3 administrable feature buttons with dual LED indicators
- 3 line, 24 character backlit display
- Full duplex speakerphone
- Integrated headset jack

1408 Value Edition

Code Description
1608 IP Value Edition

 3 soft user keys and 4 way navigation wheel for easy call and contact scrolling





# 1616 / 1416 Value Edition

## Ideal for call routers and monitor such as receptionists and managers. Features as 1608/1408

• 16 administrable feature buttons with dual LED indicators or 48 with expandable module

- 4 line, 24 character backlit display with adjustable viewing angle
- Additional caller information displayed

### Code Description

1616 IP Value Edition Add-on Module 1416 Value Edition



## **One-X Desk Phone Next Generation Handsets**

### For the Everyday user: the 9620 LITE

For the Everyday user, a phone is one of many communications tools along with perhaps IM, email and PDA. While common functions such as directory and speed dial are important to this user, many other features that would typically be found on a traditional business phone might be superfluous. The 9620 provides three visible call appearances on a smaller display, with a simple interface offering easy access to the most important features. The 9620 is available in colour.

## For the Essential user: the 9630, 9650 and 9670G

Essential users are easy to recognize – they are always on the phone. This power user relies on real-time voice communication and makes use of many advanced phone applications. The 9630G, 9650 and 9670 provide one-button access to advanced features such as Extension to Cellular and Extend Call to Mobile. These phones enable easy directory searches supported by contextual navigational menus and prompts. The 9630G and 9640G add integrated support for Gigabit Ethernet with an efficient PoE Class 2 rating. The 9650 is available in colour and greyscale.

The 9670G provides Essential Users with the same features as the other models through a touch screen user interface. It supports integrated Gigabit and Bluetooth capabilities and is a PoE Class 2 device. The 9670G provides one touch access to applications through the Home Screen including favourite contacts, embedded Avaya applications as well as third party applications.

### For the Navigator: the 9650 and Button Module

The Navigator also spends a great deal of time on the phone, largely handling calls for others. Receptionists and executive assistants are examples of Navigators. The 9650 provides one touch access to a great range of features and functions; it comes with an integrated button expansion module for quick access to features and people and super efficiency.

### **VPN Phones**

VPN capabilities in 4600 & 5600 series phones- Remote IP handsets can access IP Office over secure IPSec VPN (no separate VPN gateway needed at the remote location).

Requires teleworker or power user licenses

#### Description

5610 SW IP Hardphone 5321 SW IP Hardphone







## Analogue Phones Not system dependent these offer low cost yet high functionality

## Gemini Basic 9330-AV

4-6 party conferencing

- Power fail port for analogue lines
- 4 analogue trunks and extensions
- 8 digital stations

## Gemini CLI-9335-AV

- 100 name/number directory, 20 protected
- direct access memories
- Message waiting
- Hearing aid compatible
- 6 year warranty





### Avaya DECT R4 Solution Support

IP Office Release 5 supports the new IP DECT R4 Solution Radio Fixed Parts (RFP) as well as two new handsets. Avaya's DECT R4 solution features all advantages of a full blown DECT solution for the enterprise market. Cost effective, wireless, high voice quality in a frequency band exclusively reserved for DECT that is secure, easy to deploy and enhance.

The solution consists of:

- Two wireless handsets, 3720 and 3725
- Two radio base stations (with internal and external antennas) with IP interface for usage with IP Office
- An appliance server for centralised functions like corporate directory and internal phonebook access, simple text messaging and other external applications, centralised configuration and maintenance etc.

As the solution contains a handset with liquid protection and Bluetooth® headset interface and an appliance server for attaching messaging and other external applications it is especially well suited for vertical markets like healthcare and retail.

All handsets and radio base stations support the DECT frequency in EMEA, APAC, NAR and CALA with same hardware and firmware. (Please check type approval for availability in the different regions. At launch of IP Office Release 5, CALA is not supported with DECT R4).

IP Office Release 6 will support lower cost/functionality base-stations for the IP Office DECT R4 system released with IP Office 5.0. In this release the low-cost base station will be a scaled down "normal" base-station that allows only 4 channels per base-station with a maximum of 5 base stations being supported.



Description 3720 IP DECT Handset 3725 IP DECT Handset

Web: www.digiteleurope.co.uk

### **Telephone Systems**

## **IP Office Release 6 Features**

**Note**: All of the features listed are available worldwide unless otherwise specified. Not all of the features in IP Office Release 6 are supported on all platforms and phones – please see each feature's description for details.

### **License Simplification**

With IP Office Release 6 the licensing model has changed in order to simplify selling, buying and using IP Office. Additionally, the Professional License has been removed and the number of Voice Networking licenses reduced from three to one.

## IP Office now adheres to a simple 3 step user-centric model that consists of the following components:

- 1 IP Office system platform, trunk and phones
- 2 System Licenses: know collectively as Group Collaboration: IP Office Essential Edition, IP Office Preferred Edition, IP OfficeAdvanced Edition
- 3 User productivity solutions.

### IP Office System platform, trunks and phones

The IP Office system platform comprises the base of the new licensing model, including the IP500 system unit, expansion cards, trunk daughter cards and external expansion modules. Please note that licenses such as VCM channels or E1/T1 channels are still required.

#### IP Office System Licenses

There are 3 system licenses offered in Release 6

- **1 IP Office Essential Edition**
- 2 IP Office Preferred Edition
- 3 IP Office Advanced Edition
- 4 Office Worker

### **Combo Base Card**

IP Office Release 6 also provides support for another new base card, the Combination card. This card will provide a mix of digital phone (6 ports), analog phone (2 ports) and trunk connections and also provide 10 voice compression channels in a single base card.

### New IP500 V2

IP Office Release 6 introduces a new Control Unit the IP500v2. The IP500v2 is based on the current IP500 control unit and looks identical from the front. The main differences are at the rear of the unit where two Secure Digital (SD) card slots are present. These replace the current smart card and compact flash card slots that exist on the IP500.

### 1000 User SCN

IP Office Release 6 will increase the supported number of users on a Small Community Network from 500 to 1000 users. In mixed networks (e.g. with 4.2/5.0 systems in the network), the limit will remain at 500 users.

### IP Office User Productivity Profile Solution

To better serve small business owners, licenses are now implemented by user profile. In addition to a basic user with no applications enabled (eg. voicemail box if one of the above system editions has been purchased), there are 3 exclusive user profile licenses in Release 6 which enhance employee productivity:

1 Mobile Worker 2 Tele Worker 3 Power User

These exclusive user profiles are complemented by 3 optional add-on user profiles

4 Receptionist 5 Customer Service Agent 6 Customer Service Supervisor

### **IP Telephone Licensing**

IP Telephone licensing – In IP Office Release 6 all IP phones will be licensed as a station license, not a user-license. Digital phones will not be licensed. This only applies to IP500 and IP500v2 only. IP406v2 and IP412 systems will not require IP Telephone licenses for Avaya IP Phones.

### SIP / Video Softphone

With Release 6 IP Office introduces – as part of the Teleworker and Power User package – a new Softphone application.

The Softphone is a full feature telephony client that supports standard telephony features on a standard PC running supported Microsoft operating systems including new Microsoft 7.

## **IP Office Applications – System**

## **Essential Edition**

### Entry level

### Profile:

Basic collaboration capabilities across organisation

- Function:
- Voicemail box for all employees
- $\boldsymbol{\cdot}$  Automated attendants for routing of incoming calls
- Dial by name

### Value:

 Provides the basic set of communications needs in today's business world

## **Preferred Edition**

Entry level

### **Profile:**

· Greater speed of response and ease for all staff interactions

### **Function:**

- Secure 'Meet Me' Conferencing
- Automated call routing multiple, multi-level as well as conditional routing
- Call recording to a voicemail box

### Value:

- Collaborate easily with your staff and reduce or eliminate external conference costs
- Prioritise how you treat your best customers

## **Advanced Edition**

### Entry level

### **Profile:**

 Businesses that require high levels of effective and efficient customer service

### Function:

- Track and measure customer service and agent productivity
- Manage recorded customer calls
- Integrated voice response to access information, check status of orders and more over the phone
- Simplify the request for information or automate telephone surveys
   Description
- Requires Preferred Edition as a pre-requisite

### Value:


- Increase your customers knowledge
- Provide customers 24/7 access to information and services
- Allocate your most valuable resource your employees to your most valued asset your customers

### Description

IPO MC Essential (Embedded Messaging Kit) IP Office Preferred (VM PRO)

- IPO Office LIC (Advanced)\*
- \*Requires Preferred Edition Includes 1 Supervisor license

IP Office R4.2	Material Code	
Embedded Voicemail	700343460	Avaya IP Office Essential Edition
Standard Edition	Not Applicable	



IP Office R4.2	Material Code	Avaya IP Office
Professional Edition	202959	Advanced Edition
VoiceMail Pro	171991	Requires Preferred Edition Includes 1 Supervisor license

## **Multi-Site Options**

Connects multiple sites in small communities

#### **Profile**:

• For enterprises with more than one site that want to ensure all sites feel 'connected'

### **Function**:

- Connect sites
- Dial plan, presence, paging, distributed call routing and multi-site 'hot desking'
- Receptionists manage all calls from one location

### Value:

- Enables separate locations to operate as a single organisatiion
- Enhance collaboration among employees
- Improve mobility and productivity
- Save on calling costs enables you to eliminate site-to site calls and optimise call routing for all

### Description

IPO LIC Voice Networking (includes up to 4 channels)

## **IP Office Applications – Users**

## Receptionist Solution

### **Profile**:

Any office receptionist with a PC

### Function:

- Delivers ability to remotely control calling and connect anyone across all sites
- Visual PC interface for fast call handling operators see everyone's call status
- Manage calls for multiple sites
- Share a single receptionist across multiple locations and/or business

### Value:

- Professional service for your customers
- Consolidate reception to one site
- Efficient call handling

## Mobile Worker Solution

### Profile:

Employees who do not want to have laptops but are on the road using mobile devices

### Function:

- Delivers ability to work whilst on the road
- Delivers one number access to mobile device with call control as if 'in the office'
- Turn any office phone at any site into your office phone (requires multi-site option)
- Roam the office/warehouse wirelessly

### Value:

- Field sales and services staff become more responsive to your customers and each other
- Enables users to never miss a call and stay in control and connected while on the road

## Tele Worker Solution

### **Profile**:

Employees who work from home full time

### Function:

- Delivers ability to hire staff anywhere
- With an IP phone and Internet connection, user will be an extension of the main office
- Call flow via your network and the Internet so there
   is no additional home worker expenses
- Additional software enables user to leverage PSTN whenever bandwidth is compromised via telecommuter mode

### Value:

- Hire the right person no matter where they are located
- Streamline real estate and facilities costs with full time remote workers
- Save money and enable business continuity

## Power User Solution

### Profile:

Employees who have laptops and multiple mobile devices

### **Function**:

- Delivers ability to work from anywhere
- One number reach with ability to call control from mobile phone
- Turn any phone into your office phone and host conference calls
- Save on calling costs when travelling abroad

### Value:

- Power users are the people you have invested in, to think, to share their ideas and deliver for your customers
- Ensures enhanced abilities of user to respond quickly and maximise their productivity

## Office Worker

### Profile:

Employees who are office based with a PC

### Function:

- Provides users control of their telephone from a networked PC
- one-X Portal for IP Office can be used with any IP Office extension; analog, digital or any IP telephones, wired or wireless
- one-X Portal for IP Office is a server based application that the user accesses via web browser
- Via separate gadgets, one-X Portal for IP Office provides easy access to telephony features, call information, call and conference control, instant messaging, directory and VoiceMail Pro mailbox

### Value:

- Power users are the people you have invested in, to think, to share their ideas and deliver for your customers
- Ensures enhanced abilities of user to respond quickly and maximise their productivity

## **IP Office**

## Support of SIP Endpoints

Starting with IP Office Release 6, SIP Endpoints are supported on IP Office for Voice (Audio) and Fax (T.38) communications

This allows the usage of standard compliant IP telephones using the open SIP standard, giving customers a choice of endpoints of different manufacturers including special purpose devices such as conference phones, hotel phones or terminal adaptors.

SIP Endpoint support is fully integrated into IP Office. No other server components are needed. SIP Endpoints will need VCM module capacity in IP Office like any other IP phone. In addition to SIP telephones, SIP Analogue Telephone Adaptors are supported to connect analogue phones and fax machines. This offers a flexibility to support fax machines using (T.38) and analogue telephones, eg basic wireless phones, in remote offices.

### Description

- IP Endpoint RFA x 1
- IP Endpoint RFA x 5
- IP Endpoint RFA x 10
- IP Endpoint RFA x 20
- IP Endpoint RFA x 50







Basic call

· Do not disturb

Call forward

Call Features supported

Call/message waiting

Call hold & consultation hold

Attended & unattended transfer



### Many 3rd parties tested

- · Polycom, Grandstream, Nokia SIP client, iBeam etc
- SIP analogue telephone adaptor
- Knowledgebase shows compatibility list
- Requires 3rd patry IP phones license

### T.38 Fax transport over SIP trunks

 3 way conference Reliable fax transit over IP network Other IP short codes


## Avaya one-X Portal for IP Office

The one-X Portal for IP Office is an application that provides users control of their telephone from a networked PC.

one-X Portal for IP Office can be used with any IP Office extension and is available as part of the IP Office Power User or Teleworker user licenses only. one-X Portal for IP Office is a server based application that the user accesses via web browser. Via separate gadgets1, one-X Portal for IP Office provides easy access to telephony features, call information, call control, directory and VoiceMail Pro mailbox.

### The following features are supported by one-X Portal for IP Office

- User call control
- Call forwarding (CFWD), do not disturb (DND) and exception management
- Voicemail collection and management
- IP Office integrated systems directory (read only) and personal directory (read and write)
- Ability to access external LDAP directory services (read only)
- All directory contacts are presented as click-to-dial and are pre searchable
- Dynamically updated user call log Automated provisioning and
- management available to administrators
- Presence information is shown for all internal users (including across Small Community Networks)



#### Thin Client Alternativ

#### Works with IE, Mozilla, Firefox and Citrix

- Simple to install
- Simple to use
- · Enhances employee productivity

Major browsers (Internet Explorer version 7 or later Mozilla, Firefox version 3 or later Apple Safari or later on Windows and MAC OS) are supported.

## **Call Centre Applications**

For customer interaction performance monitoring, IP Office supports cost effective, time saving software for small to medium contact centres.

### **Campaign Manager**

Enable repetitive information gathering to be fully automated for round the clock answering, through a series of clear and uncomplicated questions. Call centre agents can then collect responses via a web browser. Inbound call campaigns can be easily created and modified via a campaign wizard.

### Customer Service Agent Solution Profile:

· Any employee who fields customer service calls and requests

#### Function:

- · Delivers ability to efficiently and effectively service customer calls
- Be informed and respond to business needs -
- through a browser based client
- Enables agent to see his/her own performance

#### Value:

• Enables sales, service or other departments to quickly, intelligently respond to customer inquiries

### **Customer Service Supervisor Solution Profile:**

 Any employee who fields customer service calls and requests

#### Function:

- Delivers ability to track, measure and create custom reports for agent productivity
- Easy to use browser interface
- Customise views with only relevant data –
- Supervisors can personalise statistics
- Save time creating reports drag and drop reporting with built in templates

### Value:

- Ability to find problems or opportunities for the
- business with real data on how your are serving the customers

### Description

IPO LIC Receptionist
IPO LIC Mobile Worker x 1
IPO LIC Mobile Worker x 10
IPO LIC Mobile Worker x 20
IPO LIC Teleworker x 1
IPO LIC Teleworker x 5
IPO LIC Teleworker x 20
IPO LIC Power User x 1
IPO LIC Power User x 5
IPO LIC Power User x 20
IPO Customer SVC AGT x 1
IPO Customer SVC AGT x 5
IPO Customer SVC AGT x 20
IPO Customer SVC SPV x 1
IPO Customer SVC SPV x 5
IPO Customer SVC SPV x 20



Wallboard

IP Office Customer Call Reporter 1.2.2.59

E-mail: rcullen@digiteleurope.co.uk

AVA

GOI D

**DevConnect** 

### **Telephone Systems**

## Working Seamlessly With Avaya

GN Netcom has been awarded Gold membership to the Avaya DevConnect programme which demonstrates its renowned expertise in headset technology.

Gold-level members must meet rigorous criteria for customer satisfaction, product support, business operations, marketing and sales by developing deeper integration with Avaya platforms leading to an enhanced user experience.

## Jabra Corded Headsets

## Jabra BIZ™ 2400

Ideal for all kinds of phone systems and work environments – from quiet individual offices to noisy open plan contact centres.

The Jabra BIZ<sup>TM</sup> 2400 headsets provides a cascade of corded headset improvements in a high-end solution that raises the bar for the levels of audio, build and comfort – backed by a 3 year warranty as standard.

Description Jabra BIZ™ 2400 Duo (82) Noise-Cancelling Jabra BIZ™ 2400 Mono (82) Noise-Cancelling

Other variants are available, please contact 0844 848 0900 for further details

### Jabra GN2000

This easy to use, robust corded headset provides excellent voice and sound clarity for contact centres. The GN2000 features PeakStop™ technology which cuts off sudden loud noises. Available with either a noise-cancelling microphone or SoundTube (Non Noise-Cancelling).

Description Jabra GN2000 Mono SoundTube Headset Jabra GN2000 Mono Flex-Boom Noise-Cancelling

Other variants are available, please contact 0844 848 0900 for further details

## Jabra GN1200 Smart Cord

Offers universal connection to almost any telephone handset and a Jabra headset. It has an 8 position slider switch which sets the phones system type. Designed to work with any Jabra professional headset fitted with a quick disconnect (QD).

Description Jabra GN1200 Straight Cord (0.5m standard) Jabra GN1200 Curly Cord (2.0m coiled) Jabra GN1215 Smartcord for Avaya One-X Phones







## Jabra Cordless Headsets

## Jabra PRO<sup>™</sup> 9400 Series

Working wirelessly using DECT technology enables multi-tasking with maximum efficiency. One headset to seamlessly switch between multiple locations including desk, soft or mobile phone (via Bluetooth connectivity with the Jabra PRO<sup>™</sup> 9470 only). The Jabra PRO<sup>™</sup> 9400 Series are the only professional headsets with a touchscreen interface and unique call recording functionality. Full remote answer/end call capability with built in EHS software.

Up to 10 hours talk-time and 150 metres range.

Description Jabra PRO™ 9460 Mono, Flex-Boom, Noise-Cancelling Jabra PRO™ 9470 Mono, Midi-Boom, Noise Blackout™



Combining a fully-featured Bluetooth<sup>®</sup> desk, soft and mobile phone solution along with the touchscreen functionality of the PRO<sup>™</sup> series. The Jabra GO<sup>™</sup> 6470 headset makes your mobile office complete.

Up to 6 hours talk-time and up to 100 metres wireless Bluetooth® range.

Description Jabra GO™ 6470, Noise Blackout™

## Jabra GN9330e

High specification from an entry level cordless headset. With free EHS Software as standard and digital encryption for secure conversations, this headset is designed to enhance the way the user works.

Up to 9 hours talk-time without recharging and the ability to answer calls up to 120m from your desk or softphone\*.

Description Jabra GN9330e Jabra GN9330e USB

\*Applies to USB model only

## Jabra Avaya EHS Cables

The Jabra EHS Cable allows connectivity between a cordless headset, and an Avaya deskphone without the need for a handset lifter. This enables the user to receive and end calls from the headset while away from their desk.

Description Jabra Avaya EHS Solution 1 Jabra Avaya EHS Solution 2









E-mail: rcullen@digiteleurope.co.uk

### **Telephone Systems**

## Working in synergy with Avaya

During our 40 year partnership, Plantronics and Avaya have worked in synergy to create products with the optimum level of usability for compatible phones and accessories.

This relationship has resulted in Plantronics being awarded the highest level of membership; the Avaya DevConnect Platinum Membership.



## **Plantronics Headsets**

## SupraPlus® Headset

SupraPlus<sup>®</sup> Wideband headsets are designed to be used with the new generation of wideband-enabled IP keysets and softphones for superior audio quality and speech clarity. Requires a compatible bottom cable (see box below)

#### Description

SupraPlus® Wideband Headset Monaural Voice Tube SupraPlus® Wideband Headset Monaural Noise-Cancelling SupraPlus® Wideband Headset Binaural Voice Tube SupraPlus® Wideband Headset Binaural Noise-Cancelling HIS Direct Connect Cable HIP Direct Connect Cable HIC Direct Connect Cable DA45 Wideband USB Adaptor with PerSono Pro Software

## AWH-65 Convertible Style Headset

Combine the clarity of traditional corded technology with the mobility of wireless, so you can move around the office without missing a call. Converts to over-the-ear, over-the-head or behind-the-head styles.

Up to 9 hours talk time and up to 100 metres range.

Description AWH-65 Convertible Style Headset

### AWH-75N

The AWH-75N boasts a lightweight, over-the-ear design that combines sophisticated style with all-day wearing comfort. Whether moving between meetings, conferring with colleagues, or taking calls in the office, executives can use the AWH-75 to go wherever business takes them.

Up to 5 hours talk time and up to 100 metres range.









## **Plantronics Headsets Continued**

## Savi<sup>™</sup> Office

Savi<sup>™</sup> Office is the wireless headset system built to unify voice communications. This enterprise-grade headset system connects to both your desk phone and PC, providing the business critical sound quality necessary in today's working environment. You can combine the Savi<sup>™</sup> Office with Plantronics Hookswitch cable removing the need for a handset lifter.

Up to 9 hours talk time and up to 100 metres range.

### Description

Savi™ Office Convertible Headset System Savi™ Office Over-the ear Headset System APT-30 Savi™ Electronic Hookswitch for Avaya GnBh (Tenovis) APV-60 Savi™ Electronic Hookswitch for Avaya APT-65 Savi™ Electronic Hookswitch Cable for Avaya (EU-24 Interface)



## Savi™ Go

Designed for mobile professionals in the office or on-the-go, the Plantronics Savi™ Go wireless headset lets you seamlessly switch between calls received on your PC and those received on your mobile phone.

Up to 6 hours talk time and up to 70 metres range (class 1 Bluetooth® range on the PC)



Description Savi™ Go Headset

## Voyager<sup>®</sup> PRO UC

The Voyager<sup>®</sup> PRO UC Bluetooth Headset has been designed for mobile professionals in the office or on-the-go. The Plantronics Voyager<sup>®</sup> PRO UC wireless headset lets you seamlessly switch between calls received on the PC and those received on the mobile.

Up to 6 hours talk time and up to 10 metres range.



Description Voyager® PRO UC Bluetooth Headset

## **Conferencing Units**

## Polycom SoundStation2

The SoundStation2 works with Avaya Definity PBX systems. It connects directly to a digital PBX line without the need for extra PBX adaptors or for running a special analogue line into the conference room. It is expandable with optional expansion microphone to increase the room coverage.

- Speak normally up to 3 metres away
- Ideal for up to 8 people
- High quality sound
- Noise and echo cancellation
- Backlit LCD
- Full duplex system allows natural two-way conversations
- 360° microphone room coverage
- 25 number phonebook/speed dial
- ${\scriptstyle \bullet}$  Worldwide caller ID\* capabilities
- Expandable with optional mics



## Konftel 50

A versatile, stylish conference unit that can connect to virtually all system keyphones, as well as analogue, cordless and mobile phones. Plus the compact size means its small enough to fit into a briefcase so you'll have the opportunity to conference anywhere with a power outlet.

- Connects to virtually any system phone
- Works with DECT and mobile phones
- Crystal clear sound OmniSound™
- Fully duplex for natural bi-directional
  - sound
- Headset compatible
- 2 year warranty



## Konftel 60W BLuetooth

At a desk, or in a meeting room away from the office, the Konftel 60W can connect wirelessly to all Bluetooth equipped phones, computers and mobiles allowing meetings to be held anywhere with a power outlet. It also has superb sound quality.

- No need for digital adaptors –
- connects to analogue, digital or IP phones
- Superb sound quality
- Expandable increase coverage from 30m<sup>2</sup> up to 70m<sup>2</sup> with extra mics
- Fully duplex 2 way sound
- (OmniSound)
- Three party conferencing function
- Optional cables for connection
- to non Bluetooth mobiles
- 2 year warranty



### \*Subject to network availability

## **Call Recording Units**

## Retell 175

Description SoundStation2 Konftel 50

Konftel 60W Bluetooth

High quality analogue phone with call recording. Ideal for telephone training, security and monitoring requirements.

- Built-in CD RW
- Uses both CD-R & CD-RW disks
- Storage of up to 500 names/numbers
- CD playback
- Calls can be attached to emails
- 300 hours capacity CD storage



## **Call Management**

## Blue Marble Intelligent Call Management

Blue Marble ICM is a telephone call management software solution specifically designed to seamlessly interface with your telephone system, it automatically and unobtrusively logs and stores all inbound and outbound telephone call traffic made to or from your telephone system. Providing you with critically important information on your company's telephone call usage.

Blue Marble ICM will provide you with a powerful, easy-to-use call monitoring and management solution that will help manage your telephone costs, eliminate telephone abuse and track trunk line, extension telephone and department utilisation. In addition ICM will also provide you with reports on call times, call transfer reports, abandoned calls, and a complete range of critical telephone traffic data that will:

- Allow you to allocate telephone call costs to employees, departments, customers, projects etc.
- · Eliminate abuse of telephone resources.
- Analyse the call costs and staff time supporting customers for both inbound and outbound calls.
- Determine the number of telephone lines required to support your business.
- Identify busy times of the day or week for telephone call traffic.
- Monitor the grade of service you provide your customers. Average ring time etc.
- Identify and return unanswered calls.
- · Mark-up call costs and allocate back to departments or tenants

Notes

Edd have	Add Marce Colonador 1			00		M -O		
life) yetholig	dei demož/report_cal	cata					1 <b>6</b> %	unia * 🔩 Connert - 😭
Control	Danal			0				Blue Marb
CONTROL	Paliel							ICM
From	17 2/04 2/	2009 💌	10 2 20	. 00 .	Antango B	v Date/Time 💌	Descending 💌	-
IPN					Drasat Tim	es Nove V		Change Login
Ueth	17 . / 04 . /	2000	23 - 59	<b>1</b>   59 <b>1</b>	Preset Tim	es None 💌		Log Out
-	Extension							Cold Ook
liber By	Prosingion	Depart	ment	Duration	Callinge	Number/Destination	Cost	
elect	Any 💌	Any		- Any -	Any	Select Call Destination	E CEANY E	System Data
_						_		Tarrit Data
r Enler	Extm					ur Enter Dialed Number	SetUp	
				0				Office Data
				ø				Extension Data
Call Re	cords			6	P.	rev. View Poge 1	- Nest	
Call Date	Call Time	Ext D	uration Call	Type From/I	To Number	Origin/Dectination	Cost	Call Records
								-
17/04/00	10:24:16		101:12 Outs			Liverpool	0.06	Calls by Extn
17/04/09 17/04/09				and 015494 ward 012446		Burntwood Rund Off	0.06	Calls by User
17/04/09	10:23:16			ward 012446 ward 015170		Hung Off	0.00	Calls by User
17/04/09	10:22:39		1:00:00 Outs			Rung Off	0.00	Calls by Trunk
17/04/09	10:22:16	2229 00	0:01:11 Outs	ward 2210		Internal	0.00	
17/04/09				ard 012446		Rung Off	0.00	Calls Orig/Dest
17/04/09	10:21:33	2228 00	0:00:04 Outs	ward 012496	576778	Runa Off	0.00	
lo . of Calls		. [	Total Cal Tim		0.04.29	Total Call Cost	0.12	Print Report
	•		The second second		0.04.24	Toole Car Core	0.12	FILL Report
			Average Call	Time	0:00:34	Average Call Cost	0.02	
				0				
	ger - Pool Kep fere - Farvite			oft Internet	1 spinner			
Edit V			Help	nît internet xh 🔆 fe		<u>⊗</u> • 瀺 🗷 ∙	. 11. 18	
Edil V Dark - (	New Favorites	s Tuuls 2 🎸	Helu S 🔎 🕬			<u>⊗</u> • 🎍 ∎ →		
Balk v Nek - ( ≪ @ ne porth	Aew Farvile	s Tuub 2 🔏	Helu Sev Perro age.ptp	vh 🐈 Fø	vanites 🤗	<b>∂</b> • & ∎ •		- - - - -
Edil V Nerk - ( ** @ H2 port k m: 06/0	few Favorites	s Tuuls 2 ( heport_pe 00 Un	Help Norman Norm	vh 🐈 Fø	vanites 🤗	<b>⊘</b> • ∛ E •	្ដាន di	- - - - -
Edil V Nerk - ( ** @ H2 port k m: 06/0	few Favorites - * * ttp://del-demo2 by Calls 18/09 09:20:	s Tuuls 2 ( heport_pe 00 Un	Help Norman Norm	vh 🐈 Fø	vanites 🤗	<u>⊗</u> • 🌺 🗷 ∙	) 11 3 di Dusiness	U D (a 17 gitel 3 Communications
Edil V Nerk - ( ** @ H2 port k m: 06/0	few Favorites - * * ttp://del-demo2 by Calls 18/09 09:20:	s Tuuls 2 ( heport_pe 00 Un	Help Norman Norm	vh 🐈 Fø	vanites 🤗	<u>&amp;</u> •& ∎ ·	) 11 3 di Dusiness	gitel
Edil V Nark - ( as 20 Hz port k m: 06/0 ted By:	few Favorites - * * ttp://del-demo2 by Calls 18/09 09:20:	s Tuuls 2 ( heport_pe 00 Un	Help Norman Norm	vh 🐈 Fø	vanites 🤗	<u>⊗</u> • ≧ E •	) 11 3 di Dusiness	U D (a 17 gitel 3 Communications
Edil V Nark - ( as 20 Hz port k m: 06/0 ted By:	few Favorites - * * ttp://del-demo2 by Calls 18/09 09:20:	s Tuvk (report_port_) :00 Um ) Date a	Help Norman Norm	vh ☆ Fo 19 09:39:3	vanites 🤗	Iversee call Time	) 11 3 di Dusiness	Communications
Edil V Nark - ( as 20 Hz port k m: 06/0 ted By:	fiew Farwtite:	s Tuvk (report_port_) :00 Um ) Date a	Help rev sgr.etp til: 06/08/0	vh ☆ Fo 19 09:39:3	vantes 🚱		) 11 3 di Dusinear Relium	Communications
Edit V Nerk - ( port k m: 06/0 :ed By: =ilter.	New Parwike	s Touls (report_port_) 100 Um 10ate a	Help see ptp til: 06/08/0 nd time 0:25:24	vh 🔆 Fin 19 09:39:3 e Tota	il call cost	wersge call time	Average (all	Communications
Edit V Nerk - ( port k m: 06/0 :ed By: =ilter.	No. of Calls	s Tuvk (report_port_) :00 Um ) Date a	Help rev age stp til: 06/08/0 nd Lime otal Call Time	vh ☆ Fo 19 09:39:3	vontes 🚱 O	wersge call time	Average (all	Communications
Edit V Nerk - ( se (2) HA port i: m: 06/0 ced By: Filter. Hiters	New Parovike New Calls 18/09 09:20: Descending No. of Calls 21 Call Time 0:20:20	s Tools (report_port_) 100 Unr 10 Unr 10 Unr 10 Unr 10 Extn 2000	Help           Provide           Provide           III:           06/08/00           06/08/00	c Tota Coll Type Consert	il call Cost 0.88 From/To No 220001	Average (all time field):13 amber Origin/De	Business Reliam Averaçe Call 6.64 stheatton	Communications Communications La Report Coll Communications Coll Contractions Coll Contractions Contrac
Edit V Nerk - ( se (2) HA port h n: 06/0 ced By: Filter.	New Parovike	s Tuels (report_po (report_po (report_po (report_po ) (report_po ) (report_po ) (report_po ) (report_po ) (report_po ) (report_po ) (report_po ) ) (report_po ) ) ) ) ) ) ) ) ) ) ) ) )	Help           Provide           Pr	e Tota Call Type Call Type	III Call Cest	weesage (all Time fisht):13 mber Origin/De Everyori	Business Reliam Average Call 6.64 stheatton	Contructations     Contructations     Contructations     Contructations     Contructations     Contructations     Contructations     Contructations     Contructations
Edit V Vark - ( port k m: 06/0 ced By: Filter. Filter.	New Parovike New Calls 18/09 09:20: Descending No. of Calls 21 Call Time 0:20:20	s Tools (report_port_) 100 Unr 10 Unr 10 Unr 10 Unr 10 Extn 2000	Help           Provide           Provide           III:           06/08/00           06/08/00	c Tota Coll Type Consert	il call Cost 0.88 From/To No 220001	Average (all time field):13 amber Origin/De	Lines Clin Relian Ascrace Lin Spersek Starton	Communications Communications La Report Coll Communications Coll Contractions Coll Contractions Contrac
EUR V Work - ( ** (2) F2 F2 F2 F2 F2 F2 F2 F2 F2 F2	Rew         Parovice           Image: Comparison of the second	s Turks (report_port_ 100 Unit 100 Unit 10	Help           Provide           Provide           Provide           Itil:           O6/08/0           Itil:           O6/08/0           Itil:           O6/08/0           Itil:           O6/08/0           Itil:           O6/08/0           O6/08/0           Itil:	e Tota Call Type: Canad Deart	i) i) i) i) i) i) i) i) i) i)	Average Call Time Bist 13 mber Deigin/De Deigin/De Deigen/Di	Lines Clin Relian Ascrace Lin Spersek Starton	Contractications
EUR V Dark - ( ** (2) 52 port 1: m: 06/0 ced By: ** (10 atc (00,00) (00,00) (00,00 (00,00) (00,00) (00,00)	Rev         Paroxite           Image: Control of the second sec	Tuels     (report_or     (report_or     )     )	Help           Sec. Stp           Sec. Stp           Uil: 06/08/0           nd Lime           Sec. Stp           Ottal Call Time           Sec. Stp           Dura State           Sec. Stp	c Tota Coll Type: Coll Type: Coll Conset Coll Conset Coll Conset	10 10 10 10 10 10 10 10 10 10	Average Call Time 6x81:15 mbcr Crigin/Dc Longin/Co Mode Average Mode Average Mode Average Mode Average	All 3	Contractications
Edit V Derk - ( ** @ ## port k n: D6/0 ced By: Filter. I Date (00/09 (00/09 (00/09 (00/09	No. of calls           0:5:00         0:2:00           No. of calls         0:2:00           0:0:0:0         0:2:00           0:0:0:0         0:0:0	s Tuols (heport_port_ 100 Uni 10ate a 5 T Extn 2229 2229 2229	Help         Percent           Image: article         Formation           Itil:         06/08/00           Itil:         08/08/00           Itil:         08/08/00 </td <td>e Tota Culture</td> <td>10 10 10 10 10 10 10 10 10 10 10 10 10 1</td> <td>Averse call Time. Ball 13 mber Contain Contain Made Rome Baldward Fre Bald Baldward Fre Baldward Fre Bald</td> <td>L L L L L L L L L L L L L L L L L L L</td> <td>Contractions</td>	e Tota Culture	10 10 10 10 10 10 10 10 10 10 10 10 10 1	Averse call Time. Ball 13 mber Contain Contain Made Rome Baldward Fre Bald Baldward Fre Baldward Fre Bald	L L L L L L L L L L L L L L L L L L L	Contractions
Exit         •           Verk         •           Verk         •           Proortitit         •           m:         0.6/00           rest         •           Filter.         •           Filter.         •           •         •   •	Rev         Paroticle           Image: Control         Image: Control           Image: Contreteeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeee		Help         Form           age: php         Form           til:         06/08/0           nol:         Imme           no:         21:04           Durco Ston         0:02:15:04           Durco Ston         0:02:25:04           00:02:25:04         0:02:25:04           Durco Ston         0:00:25:00           0:00:02:00         0:00:02:00	e Tota call Type Conset Collect Conset Collect	At Call Cost           0           4           Call Cost           0.88           Permit 70 N0           2024941           0772004114           0772004142           0772004142           0772004142           0772004142           0772004142           0772004142           0772004142           0772004142           077402020142           077402020142           07740202014	Aversige fall Time 0x81x158 mbcr Drigh/Do Badecorf Badecorf Badecorf Trade notes	L L L L L L L L L L L L L L L L L L L	Contractions
Euk V  inrk	No. of calls           0:5:00         0:2:00           No. of calls         0:2:00           0:0:0:0         0:2:00           0:0:0:0         0:0:0	s Tuols (heport_port_ 100 Uni 10ate a 5 T Extn 2229 2229 2229	Help         Percent           Image: article         Formation           Itil:         06/08/00           Itil:         08/08/00           Itil:         08/08/00 </td <td>e Tota Culture</td> <td>10 10 10 10 10 10 10 10 10 10 10 10 10 1</td> <td>Averse call Time. Ball 13 mber Contain Contain Made Rome Baldward Fre Bald Baldward Fre Baldward Fre Bald</td> <td>L L L L L L L L L L L L L L L L L L L</td> <td>Contractions</td>	e Tota Culture	10 10 10 10 10 10 10 10 10 10 10 10 10 1	Averse call Time. Ball 13 mber Contain Contain Made Rome Baldward Fre Bald Baldward Fre Baldward Fre Bald	L L L L L L L L L L L L L L L L L L L	Contractions
Edit V Verk - Verk - V	Mex         Paroxite           Image: Constraint of the second	S         Turble           Image: Constraint of the second seco	Help Figer.php til: 06/08/0 nd lime time	ch         Torta           19         09:39:3           c         Torta	Image: second	Average fail Time 6:01:13 mbcr Mola exercise Budrooff Bernard Budrooff Bernard Budrooff Mola exercise Budrooff Mola exercise Budrooff	L L L L L L L L L L L L L L L L L L L	Contractions
Euk V V	Answer         Paroscher           Image: Constraint of the second sec	Tools         Tools           Image: Construction of the second	Help Second Call Time Control	c Tota c Tota c Tota coll Type Collered C	Al Call Cost         Col           Al Call Cost         0.0	Average Call Time 0::01:15 maker Langer Made school Made Tarda Made Tarda Mada Made Tarda Made Tarda Made Tarda Made Tarda Made Tard	All	Contractions
Bill V Write - V Poort I: iii too, o control - Control - Contr	Answer         Paroxite           Image: Control of the second	Tools         Tools           Image: Construction of the second	Help           Image: php           iii: 06/08/0           iii: 06/08/0           iii: 06/08/0           iii: 06/08/0           iii: 06/08/0           iii: 06/08/0           00001           000	ch         fire           19         09:39:3           c         Total		Aversige fall Time 0.011.13 mbor Congress Response	All	Constructions
EUL 0 0000	No. of Calls           000         000           000         0	Toub           Image: Control         Image: Control	Help sp: php otal Call Time n: 21:04 0:22:304 0:00.01 0:00.0	c Tota c Tota c Tota c Tota c Conserver c	Image: second	Average sail time Rath 15 maker Material M	All	Contractions Contractions Lis Report Sectors Call Sector Call Sect
Eul V V	Answer         Paroxite           Image: Control of the second	Tools         Tools           Image: Construction of the second	Hele age: php iii: 06/08/0 nd lime iii: 06/08/0 nd lime iii: 06/08/0 iii: 06/08/0 ii: 0	ch         fire           19         09:39:3           c         Total		Aversige fall Time 0.011.13 mbor Congress Response	All	Contractions
Edit V (	Construction         Construction           Image: Construction of the construction of t	Tools     T	Help age shp iii: 06/08/0 iii: 06/08/0 ii: 06/08/08/0 ii: 06/08/0 ii: 06/08/08/0 ii: 06/08/08/0 ii:	Ale Constanting     A	Ical Cost           Ical Cost <td< td=""><td>Average fall time R-51-15 moder Mode Autor Mode Au</td><td>All All All All All All All All All All</td><td></td></td<>	Average fall time R-51-15 moder Mode Autor Mode Au	All	
	Answitz         Paravitation           Image: Second Sec	tools     t	Hole           Image: oto           spin.oto           util: 06/08/0           not 1/me           motol Call Time           no.251:04           Devestion           00.02:15:04           Devestion           00.02:15:04           00.02:104 </td <td>c Teta Common</td> <td></td> <td>tversee (all Inne Banti 18) mber Dreigh/De Based</td> <td>Auropo (Al Ana Ana Station Auropo (Al Ana Station Auropo (Al Ana Auropo (Al Auropo (Al)Auropo (Al)A</td> <td>Contruction     Contruction     Contructi</td>	c Teta Common		tversee (all Inne Banti 18) mber Dreigh/De Based	Auropo (Al Ana Ana Station Auropo (Al Ana Station Auropo (Al Ana Auropo (Al Auropo (Al)Auropo (Al)A	Contruction     Contructi
Edit V (	Construction         Construction           Image: Construction of the construction of t	Tools     T	Help age shp iii: 06/08/0 iii: 06/08/0 ii: 06/08/08/0 ii: 06/08/0 ii: 06/08/08/0 ii: 06/08/08/0 ii:	Ale Constanting     A	Ical Cost           Ical Cost <td< td=""><td>Average fall time R-51-15 moder Mode Autor Mode Au</td><td>Auropo (Al Ana Ana Station Auropo (Al Ana Station Auropo (Al Ana Auropo (Al Auropo (Al)Auropo (Al)A</td><td></td></td<>	Average fall time R-51-15 moder Mode Autor Mode Au	Auropo (Al Ana Ana Station Auropo (Al Ana Station Auropo (Al Ana Auropo (Al Auropo (Al)Auropo (Al)A	

### **Contact Us**



Digitel Europe Ltd Communications Centre, 1 Ivy Street, Priory Lane Industrial Estate, Birkenhead CH41 5EE Tel: 0844 387 7823 E-mail: rcullen@digiteleurope.co.uk

Web: www.digiteleurope.co.uk